

- Abaris*, 90, 94
Abax, 90 133
 Abdelnur, O.M., 341, 347, 370, 371
 acetate, 295
 acetic acid, 269
 acetone, 267
 acetyl-beta-methyl choline chloride, 266
 acetyl- β -methylcholine, 275
 acetylcholine (ACh), 263, 269, 273, 279,
 294, 296, 299
 acetylcholine chloride, 266, 268
 acetylcholinesterase (AChE), 263, 265, 275,
 279, 285, 295, 297, 299.
Actina viridis, 5
 Adam, J. P. (see Hamon), 333, 337
Adephaga, 94
 adrenaline, 297
Aedes, 220, 236, 240, 244, 246, 251, 256,
 310, 315, 322-328, 332, 333, 334
 campestris, 311, 324
 canadensis, 237, 311, 315, 325
 cataphylla, 240, 312, 315, 325, 331
 cinereus, 220, 236, 240, 312, 315, 324, 332
 communis, 220, 236, 240, 247, 313, 314,
 325, 328, 331, 333, 335
 communis nevadensis, 325
 diantaeus, 313, 315, 325, 331
 dorsalis, 311, 315, 324, 325
 excrucians, 220, 234, 240, 247, 310, 313,
 325, 327, 331, 333, 336
 fitchii, 220, 234, 236, 240, 310, 314, 325-326,
 327, 331, 334, 336
 flavescens, 310, 312, 315, 326, 336
 hexodontus, 313, 314, 326, 328, 331
 impiger, 312, 324
 implicatus, 220, 236, 240, 247, 312, 315,
 326, 331, 332
 increpitus, 312, 314, 326
 intrudens, 240, 247, 313, 326, 328, 331, 335,
 336
 nigripes, 324
 niphadopsis, 312
 pionips, 247, 313, 315, 326, 328, 331
 pullatus, 313, 315, 327, 331
 punctator, 220, 234, 236, 240, 313, 327, 331
 riparius, 220, 236, 240, 310, 327, 331
 spencerii, 312, 315, 327
 sticticus, 313, 324, 327, 328, 331
 stimulans, 312, 315, 327
Aedes (cont.)
 trichurus, 312, 315, 327
 vexans, 220, 234, 240, 247, 257, 311,
 313, 324, 331, 334, 336
Aedimorphus, 315, 322, 324
 Albert, A., 275, 295, 299
 ali-esterase (AliE), 268
 alkaline sulfite solution, 269
Allognosta brevicornis, 5
 fuscitarsis, 5
 obscuriventris, 5
Alnus tenuifolia, 219
Amara stupida, 63
 Ambache, N., 295, 299
Amelanchier alnifolia, 219
 amines, biogenic, 265, 290
Anaferonia, 126, 156, 158, 159
 distincta, 128, 129
 evanescens, 156, 157
 fausta, 128, 129
 iowana, 128, 129
 latebrosus, 159
 lixa, 159
 pantex, 156, 157
 papago, 159, 160
 pimalis, 159
 pudica, 159, 160
 vernica, 159, 160
 analysis of variation (Carabidae), 19
Ancylis comptana, 65
 Anderson, J.R., W. Olkowski & J.B. Hoy,
 255, 257, (see Olkowski, W., 255, 259)
 animal bait, 217
Anopheles, 313, 315, 316, 333
 earlei, 220, 236, 240, 244, 247, 254,
 256, 260, 311, 315, 321, 328, 331
 intrudens, 328
 maculipennis, 252, 316
 occidentalis, 316
 quadrimaculatus, 260
 anopheline vectors, 251
 Anoplura, 1, 2, 3
 ant larvae, 63
 pupae, 63
 anticholinesterase, 164, 167, 283, 288
Aplysia, 296

Arctia caju, 265
 arcto-tertiary geoflora, 174

- arginine phosphate, 269
 Arnason, A.P. (see Fredeen, F.J.H.), 341, 347, 349, 372; (see Rempel, J.G., 341, 350, 372)
Artemisia, 65
 arthropod ecology, 2
 population, 2
 Arthus' syndrome, 354
 aryl-esterase (ArE), 268
Aster, 219
 Astigmata, 2
Atriplex, 65
 nuttalli, 63
 atropine, 265, 295
 Auffenberg, W. & W.W. Milstead, 174, 191
Austrogoniodes, 3
 gressitti, 3
 keleri, 3
 Avenzoariidae, 2
 Axelrod, D. I., 69, 73
 Bach, R.C. (see Huffacker, C.B.), 238, 241, 258
 Ball, G.E., 17, 73, 89, 93, 101, 174, 191
 Barlow, R.B., 275, 299
 Barr, A.R., 217, 235, 257, 309, 321, 336
 (see Chapman, H.C., 325, 337)
 Barr, A.R., T.A. Smith, M. Boreham & K.E. White, 254, 257
 Barton Brown, L., L.F. Dobson, E.S. Hodgson & J.K. Kiraly, 297, 299
 Bar-Zeev, M., 9, 13, 14
 Basford, N.L., J.E. Butler, C.A. Leone & F.J. Rohlf, 94, 191
 Bates, H.W., 73, 191
 Bates, M., 227, 252, 255, 257
 beaver dams, 219
 Beddington, A. & R.W. Brimblecombe, 275, 299
 Beckel, W.E., 314, 336
 Bellamy, R.E. & W.C. Reeves, 227, 238, 255, 257
 (see Hayes, R.O., 239, 258)
 Belton, P. & M. Galloway, 235, 254, 257
 Berck, B. (see Fredeen, F.J.H.), 349, 372
 Beridinae, 5
Beris californica, 5, 6
 Berry, E.W., 174, 191
Betula papyrifera, 219
 Biddlingmayer, W.L., 217, 153, 157 (see Klock, J.W., 255, 258)
 Bigelow, R.S. & C. Reimer, 19, 73
 Biram's anemometer, 222
 Birks, R.I. (see MacIntosh, F.C.), 273, 303
 Birks, R. & F. C. MacIntosh, 273, 299
 Bisset, G.W., J.F.D. Frazer, M. Rothschild, & M. Schachter, 265, 299
 blackfly, 341-371
 Blackmore, J.S. (see Rainey, M.B.), 255, 259
 Blackwelder, E., 69, 73, 191
 Blair, W.F., 174, 186, 191
blatchleyi group, 127, 130-133, 172, 188, 210
 Blatchley, W.S., 192
 Bodenheimer, F.S., 9, 14
 Boistel, J. (see Gahery, Y.), 297, 301
 Boreham, M. (see Barr, A.R.), 254, 257
 Boullin, J. (see Costa, E.), 290, 301
Bouteloua gracilis, 63
 Boura, A.L.A. & A.F. Green, 297, 300
 Boving, A.G. & F.C. Craighead, 93, 192
 Brady, V.E. & J. Sternburg, 288, 299, 300
 Braun, E.L., 174, 184, 192
 Brazin, M. (see Hoskin, F.C.G.), 299, 302
 Breeland, S.G. & E. Pickard, 220, 235, 237, 251, 153, 157 (see Smith, G.E., 220, 253, 260)
 Brimblecombe, R.W. (see Bebbington, A.), 275, 299
Broscus approximatus, 106
 Brodie, B.B. & P.A. Shore, 297, 300
 Brodie, W.B. (see Costa, E.), 290, 301
 (see Shore, P.A., 290, 304)
Broscus, 102, 108
 laevipennis, 103
 Brown, A., T.H.D. Griffiths, S. Erwin, & L.Y. Dyrenforth, 354, 371
 Brown, A.W.A., 227, 239, 259
 Brown, A.W.A., D.S. Sarkaria & R.P. Thompson, 239, 257
 Brown, R.H. (see Mikalonis, S. I.), 264, 303
 Burdick, D.J. & E.H. Kardos, 252, 257
 Burgess, L. & W.O. Haufe, 322, 336,
 (see Haufe, W.O., 222, 238, 258)
 Burn, J.H., 297, 300
 Burn, J.H. & M.J. Rand, 263, 273, 297, 300
 Butanol, 268
 Butler, J.E. (see Basford, N.L.), 94, 191
 Bursell, E., 217, 251, 257
 Burton, A.N. (see McLintock, J.), 254, 259
 Cain, A.J. & G.A. Harrison, 66, 73

- calcium cyanide, 220
Calleida croceicollis, 44, 46, 60
viridis, 33
Callida, 15, 18, 21, 23, 26, 28, 32, 62, 66, 67
chloridipennis, 60
cyanea, 38
decora, 22, 29, 31, 78, 80
purpurea, 26, 29, 30, 32, 80
viridipennis, 32, 80
Callidina, 15, 20, 24, 28, 43, 64, 66, 68, 72
biology of the subtribe, 62
key to the subtribe, adults, 28
key to the subtribe, larvae, 24
phylogenetic diagram, 67
taxonomy of the subtribe, 22-23
Callidinae, 16
Calliphora erythrocephala, 213
Cameron, A.E., 347, 371
Cameron, M.C., 297, 300
Carabidae, 15, 89, 94
Carausius morosus, 213
carbachol (carbamylcholine), 263, 266, 275, 279, 295, 296
carbamate, 266
carbon dioxide baited traps, 227
Carestia, R. R. & L. B. Savage, 238, 241, 257
Carex, 219
Carlston, C.W., 174, 192
Carpenter, M.J. & W.J. LaCasse, 309, 313, 326, 336
Carpenter, M.J. & L.T. Nielsen, 252, 257
Carpenter, S.J. & L.T. Nielsen, 333, 337
Casey, T.L., 16, 73, 89, 192
catecholamines, 268, 296, 297
Cephalotes, 103, 106, 125
Chadwick, L.E., 268, 279, 300
Chadwick, L.E. & D.L. Hill, 289, 300
Chamberlain, R.W. (see Newhouse, V.F.), 227, 238, 241, 259
Chamberlin, J.C. (see Stage, H.H.), 222, 231, 253, 260
Chamberlin, J.C. & F.R. Lawson, 222, 257
Chang, S.C. & C.W. Kearns, 265, 300
Chang, S.C. (see Sternburg, S.), 266, 283, 298, 304
Chang, V. & M.J. Rand, 297, 300
Chapman, H.C., 335, 337
Chapman, H.C. & A.R. Barr, 325, 337
Chapman, R., 9, 14
Chaudoir, M. de, 23, 73, 192
Chen, G., 275
Chen, G. & R. Portman, 275, 300
Chen, G., R. Portman & A. Wickel, 275, 300
Chevrolat, L.A., 73
Chiang, P.K., 263
chicken baited traps, 222
Chironomidae, 2
Chivers-Wilson, V.S. (see Hutcheon, D.E.), 351, 372
choline, 263, 265, 283, 288, 295, 297
choline acetylase (ChA), 263, 273
choline chloride, 266, 269
cholinesterase, 297
choline esters, 264, 265
Christophers, S.R., 337
Cimex lectularius, 9-13
adult stage, 10
fecundity, 10
mortality rate, 13
nymphal stadia, 10
population density, 9-13
preoviposition period, 10
Clark, J.C. & F.C. Wray, 254, 257, 324, 337
Clarke, W.B., 174, 192
Clement, A.N., 230, 238, 252, 257, 334, 337
Cnephia saskatchewanana, 354
Cobben, R.H., 85
cockroach nerve cord, determination of
AChE activity, 267-268
effect of acetyl choline, 279-283
effect of AChE activity, 289
effect of adrenergic drugs, 290
effect of carbachol (carbamylcholine), 275
effect of choline, 283
effect of choline upon TEpp-treated n nerve cords, 288
effect of dimethylphenylpiperazinium (DMPP), 275
effect of eserine, 283
effect of hemicholinium, 269-273
effect of methacholine (acetyl- β -methylcholine), 275-279
effect of nicotine, 275
effect of pilocarpine, 279

- cockroach nerve cord (cont.)
 effect of pyridine-2-aldoxime methiodid
 (2-PAM) upon TEPP-treated nerve cords,
 285-288
 effect of tetraethylpyrophosphate (TEPP),
 283
 endogenous activity, 269
 electrophysiological studies, 266-267
 spectrofluorometric determination of
 noradrenaline, 268-269, 294
- Cohn, T.J., 69, 73
- Coleman, A.P., 174, 192
- Coleoptera, 15, 89
- Colhoun, E.H., 263, 268, 283, 288, 297, 300
- Colhoun, E.H. & E.Y. Spencer, 265, 301
- Collembola, 1, 2
- Coquillettidia*, 315, 322
perturbans, 311, 313, 315, 322, 332
- Corbet, A.S. (see Fisher, R.A.), 235, 258, 316
- Corbet, P.S., 217, 130, 142, 252, 258, 333, 335
- Cornus canadensis*, 219
stolonifera, 219
- Costa, E., D. J. Boullin, W. Hammer, W. Vogel,
 & W.B., Brodie, 290, 301
- Craig, D.A., 86
- Craighead, F.C. (see Boving, A.G.), 93, 192
- criteria for species, subspecies & genera
 (Carabidae), 17
- Crombie, A.C., 9, 14
- Cross, H.F. (see Twinn, C.R.), 347, 372
- Cryptostigmata, 2
- Csiki, E., 73, 89, 192
- Culex*, 311, 313, 315, 322
annulirostris, 243
apicalis, 322
restuans, 311, 322
tarsalis, 238, 252, 256, 260, 311, 315, 322
territans, 220, 231, 234, 240, 247, 311, 315,
 322, 331
tritaeniorhynchus, 258
- Culicidae, 309
- Culicinae, 314
- Culiseta*, 220, 236, 311, 313, 315-322
alaskaensis, 240, 247, 311, 314, 316, 321,
 331, 336
impatiens, 311, 320
incidens, 311, 320
inornata, 220, 231, 234, 236, 240, 244, 247,
 256, 260, 311, 314, 320, 331-336
- Culiseta morsitans dyari*, 311, 313, 315,
 321
sylvestris minnesotae, 311, 313, 315,
 321
- Curran, C.H., 5, 7
- Curtis, C.L., 321, 322, 337, 347, 371
- Curtis, D.R., R.W. Ryall & J.C. Walkins,
 295, 301
- Cyanogas, G., 320
- Cyclotrachelus*, 89, 95, 101, 109-116,
 119, 125, 126, 169, 171, 173, 176,
 187, 211
fallaciosus, 125, 126
fucatus, 89
levifaber, 89
macrovulum, 89
parafaber, 89
roticollis, 125, 126
texensis, 89
- Cylindronotum*, 23, 28, 66, 67
- Cymindis, 21, 32
amoena, 42
viridicollis, 31
viridis, 34, 38
- Dahl, E., B. Flack, C. von Mecklanburg,
 & H. Myhrberg, 296, 301
- Dauterman, W.C., A. Talens & K. van
 Asperen, 267, 301
- Davis, M.B., 174, 192
- DDT, 298
- De Groat, W.C. & R.L. Volle, 296, 301
- Dejean, P.F.M.A., 73, 101, 192
- Detinova, T.S., 217, 230, 252, 258
- Dettbarn, W. & P. Rosenberg, 269, 301
- Dettbarn, W., P. Rosenberg & D. Nach-
 mansohn, 298, 301
- diazoblue, 267
- laurylsulfate solution (DBLS), 268
- diisopropyl fluorophosphate (DEP), 299
- phosphoric acid, 299
- Dillenberg, H. (see McLintock, J.), 254,
 259
- Dillon, L.S., 69, 74
- $\beta\beta$ -dimethyl acrylcholine, 265
- dimethylphenyl piperazinium (DMPP),
 263, 266, 275, 295
- Diptera, 1, 5, 255, 309, 371, 372
- Dobson, L.F. (see Barton Brown, L.), 297,
 299

- Dow, R.P., 239, 258
 Downey, J.E., 220, 258
 Duke, B.D.L., 231, 258
 Dunn, E. (see MacLagen, D.S.), 9, 14
 Dyar, H.G. (see Howard, L.O.), 321, 337
 Dyrenforth, L.Y. (see Brown, A.), 354, 371
 Eccles, R.M. & B. Libet, 296, 301
 Ehrenpreis, S., 301
 Emden, F. I. van, 74
 endogenous activity, 263
 Engel, L.G. & R. W. Gerard, 269, 301
Ephestia kuhniella, 213
Epilobium angustifolium, 219
Erigonum flavum, 63
 Erwin, S. (see Brown, A.), 354, 371
 eserine, 263, 264, 267, 283, 288
 sulfate, 266
 esterase, 295
 Euler, V.S. von, 297, 301
Eumolops, 127, 146, 152, 160, 163, 165
 ampla, 163, 164
 decepta, 161, 162
 impolita, 161, 162
 inflatula, 161, 162
 prominens, 161, 162
 sexualis, 127, 161, 162
 sulcata, 147, 149
Euproctinus, 16, 23, 24
 trivittatus, 80
Euproctus, 16
Evarthrinus, 113, 117, 127, 146, 152, 161
 alabamensis, 117
 alternans, 153
 inflapennis, 147, 149
 lilliputicus, 117, 118
 minax, 161, 162
 pinorum, 113, 114
 retractus, 147
Evarthrops, 113, 117, 127, 147, 152
Evarthrus, biology, 93
 centers of concentration, 178-183
 distribution pattern, 174-176
 effects of the Pleistocene epoch, 183-184
 extent of range, 176-178
 historical zoogeography, 186-190
 key to the species & subspecies, 95-100
 material, 90
 methods, 90-93
 phylogeny, 168-173
Evarthrus, primitive & specialized
 character conditions, 170
 revision of the species of the genus, 89-212
 sister species, 184
 species-pairs, 184-186
 subgenus, 126
 taxonomy, 93-168
 zoogeography, 174-190
Evarthrus acutus, 104
 alabamae, 98, 141-142, 172, 181, 185, 188, 197, 204, 208
 alabamensis, 95, 115-119, 171, 181, 187, 197, 199, 202, 207
 alternans, 98, 146, 153-154, 173, 181, 184, 189, 198, 205, 209
 americanus, 131
 approximatus, 96, 106-107, 171, 181, 184, 187, 196, 200, 207
 blatchleyi, 99, 130, 134, 136, 172, 181, 185, 188, 197, 199, 203, 208
 breviformis, 133, 135
 brevoorti, 96, 110, 111, 113-115, 171, 181, 187, 196, 201, 207
 constrictus, 99, 117, 118, 126, 154, 158-160, 167, 173, 181, 189, 199, 205, 209
 convivus, 99, 133, 134, 137-139, 172, 181, 185, 188, 197, 203, 208
 deceptus, 127, 173
 engelmanni, 98, 139, 142-143, 172, 181, 185, 197, 204, 208
 enormis, 144
 faber, 93, 95, 122, 125-126, 172, 176, 181, 185, 188, 197, 199, 202, 207
 fatuus, 147, 149
 floridensis, 99, 130, 132-133, 136, 181, 185, 188, 197, 203, 208
 fucatus, 96, 110, 111-112, 171, 181, 185, 187, 196, 201, 207
 furtivus, 98, 127, 146, 152, 173, 181, 185, 189, 198, 205, 209
 gigas, 95, 100, 164, 165-166, 167, 173, 181, 185, 198, 206, 210
 gravesi, 95, 127, 167-168, 176, 180, 184, 189, 198, 210
 gravidus, 97, 100, 160, 161, 163-164, 173, 181, 184, 189, 198, 206, 210
 hernandensis, 96, 101-102, 171, 181, 184, 187, 196, 199, 200, 107

- Evarthrus heros*, 100, 154, 155-157, 173, 181, 198, 199, 205, 210
hyperpiformis, 97, 145-146, 172, 181, 184, 198, 204, 208
incisus, 97, 99, 128, 172, 181, 185, 188, 197, 203, 207
iowensis, 97, 100, 129, 135, 147, 154-156, 159, 161, 173, 181, 184, 189, 198, 205
iuvenis, 96, 106, 107-108, 171, 181, 187, 196, 200, 207
laevipennis, 96, 101, 102, 103-105, 171, 181, 187, 195, 200, 207
latebrosus, 156, 157
levifaber, 96, 109, 122-125, 172, 181, 185, 188, 197, 202, 207
lodingi, 141, 147, 148, 149
macrovulum, 96, 115-121, 171, 181, 185, 187, 188, 197, 202, 207
montanus, 133, 135
morio, 96, 101-104, 171, 181, 184, 187, 196, 200, 207
nommitens, 98, 139, 143-145, 172, 180, 181, 185, 188, 197, 204, 208
obsoletus, 97, 106, 107, 108-109, 171, 181, 187, 196, 200, 207
orbatus, 137
ovulum, 95, 104, 115-119, 171, 181, 188, 197, 199, 202, 207
parafaber, 95, 117, 122-123, 172, 176, 181, 188, 197, 202, 207
parasodalis, 98, 100, 146, 150-151, 173, 181, 185, 189, 198, 204, 209
roticollis, 109
rotundatus, 113, 114
rubripes, 140
sallei, 100, 164, 173, 181, 185, 198, 206, 210
seximpressus, 98, 139-141, 143, 172, 181, 185, 188, 197, 199, 204, 208
sigillatus, 91, 99, 126, 133-136, 138, 172, 181, 188, 197, 199, 203, 208
sinus, 99, 132, 126-137, 142, 172, 181, 185, 188, 197, 203, 208
sodalis, 89, 94, 146-149, 151, 173, 185, 189, 204
spoliatus, 96, 110, 111-114, 171, 181, 187, 196, 201, 207
substriatus, 97, 99, 100, 129, 155-159, 167, 173, 181, 184, 189, 198, 199, 205, 209
taurus, 102, 103
- Evarthrus tenebricus*, fossil species, 168
texensis, 96, 115, 121-122, 172, 181, 185, 187, 188, 197, 202, 207
tervus, 89, 160-162, 173, 184, 189
unicolor, 95, 109-111, 114, 169, 171, 181, 187, 196, 199, 201
vagans, 141, 143
vinctus, 96, 115-116, 171, 181, 187, 196, 201, 207
whitcombi, 97, 128, 129-130, 172, 181, 188, 197, 203, 207
- Exodontha luteipes*, 5, 6
 Eyles, D.E. (see Wharton, D.H.), 255, 260
faber group, 109, 122-127, 171, 188, 210
 Falk, B. (see Owen, C.), 296, 303
 Fawcett, D.W., 213
 Feldberg, W., 295, 301
Ferestria, 101, 106, 108, 118
acuta, 104, 105
bullata, 104, 105
castigata, 104, 105
nanula, 104, 105
siminola, 104
simiola, 104, 105
Feronia, 108, 110, 133, 158, 166
abdominalis, 128, 129
acuminata, 160
americana, 133, 135, 166
brevoorti, 114
colossus, 146
constricta, 158
corax, 146, 148
heros, 166
incisa, 127
lixa, 127, 129
morio, 102
obsoleta, 108
orbata, 133, 135, 137
ovipennis, 158, 160
ovulum, 118
seximpressa, 139
sigillata, 133
sodalis, 146
spoliata, 113, 125
tenebricosa, 125, 126
unicolor, 110
vagans, 147, 148
vidua, 133, 135
 Fisher, R.A., 19, 74

- Fisher, R.A., A.S. Corbet & C.B. Williams, 235, 258, 316, 337
 Fisher, R.W. (see Smallman, B.N.), 298, 304
 Flack, B. (see Dahl, E.), 296, 301
 Flemings, M.P., 255, 258
 Flint, R.F., 174, 192
Fortax, 89, 91, 95, 101, 108, 169, 171, 187, 211
iuvensis, 89
 fossil material, 168
Franeria dumosa, 64
 Frazer, J.F.D. (see Bisset, G.W.), 265, 299
 Frazer, W.T. (see Kandel, E.R.), 296, 302
 Fredeen, F.J.H., 341, 347, 349, 350, 355, 371
 Fredeen, F.J.H., J.G. Rempel & A.P. Arnason, 341, 347, 349, 372
 Fredeen, F.J.H., A.P. Arnason & B. Berck, 349, 372
 Freitag, R., 20, 74, 89
 Frontali, N., 265, 297, 301
 Fruentov, N.R. (see Magazanik, L.G.), 303
 Fukuto, T.R. (see Winton, M.Y.), 264, 306
 Gahery, Y. & J. Boistel, 297, 301
 Galloway, M. (see Belton, P.), 235, 254, 257
 garden tiger moth, 265
 Gardiner, J.E., 273, 301
 Gater, B.A.R., 255, 258
 Geber, G.L. & R.L. Volle, 275, 279, 283, 296, 301
 Gerard, R.W. (see Engel, L.G.), 269, 301
 Germar, E.F., 192
 Gershenfeld, H.M. (see Tauc, L.), 296, 305
gigas group, 167-168, 173, 210
 Ginetsinskii, A.G., 298, 302
 Ginsborg, B.L. & S. Guerrero, 275, 302
 Ginsburg, S. (see Wilson, I.B.), 285, 306
 Gjullin, C.M. (see Stage, H.H.), 324, 338
 Gjullin, L.M., W.W. Yates, & H.H. Stage, 324, 337
 Glasgow, J.P., 231, 253, 258
Glossina, 231, 253
swynnertoni, 251, 257
Glycia, 29
viridicollis, 31
Gnus, 341, 347
Gomphiocephalus hodgsoni, 2
 Gomori, G., 267, 302
 Gomori's technique, 267
 Goth, A., 295, 302
 Gordon, H.T. (see Welsh, J.H.), 275, 306
 Goulden, C.H., 19, 74
 Graham, A., 174, 192
 Graham, P., 214, 156, 158, 309, 337
Grahamelytron crofti, 1
 Grauer, F.H. (see Gudgel, E.F.), 354, 372
gravesi group, 167-168, 173, 210
 Green, A.F. (see Boura, A.L.A.), 297, 300
 Greenslade, P.J.M., 182, 192
 Greggerman, R.I. & G. Wald, 297, 302
 Grenier, P. (see Hamon, J.), 333, 337
 Gressitt, J.L., 1
 Griffiths, T.H.D. (see Brown, A.), 354, 371
 Grollman, A., 279, 297, 301
 Gudgel, E.F. & F.H. Grauer, 354, 372
 Guerrero, S. (see Ginsborg, B.L.), 275, 302
 Guilday, J.E. (see Hibbard, C.W.), 174, 193
 Gurba, J.B., 355, 372
 Habu, A., 16, 21, 23, 74
 Haddow, A.J., 231, 158
 Halacaridae, 2
 Halarachnidae, 2
 haloalkylamine, 290
 Haldeman, S.S., 192
 Hamberger, B., K.A. Norberg & F. Sjoqvist, 296, 302
 Hamberger, B., K.A. Norberg & U. Ungstedt, 296, 302
 Hammer, W. (see Costa, E.), 290, 301
 Hammon, McD. (see Reeves, W.C.), 238, 260
 Hamon, J., S. Sales, J.P. Adam & P. Grenier, 333, 337
 Happold, D.C.B., 256, 258, 314, 316, 320, 322, 325, 326, 328, 337
 Harpalinae, 94
Harpalus, 94
 Harrell, B.E. (see Martin, P.S.), 186, 194
 Harrison, G.A. (see Cain, A.J.), 66, 73
 Hartshorn, J.H. (see Schafer, J.P.), 174, 194
 Hatch, M.H., 74
 Haufe, W.O. (see Burgess, L.), 322, 336
 Haufe, W.O. & L. Burgess, 222, 238, 258
 Hayes, R.O., R.E. Bellamy, W.C. Reeves, & M.J. Willis, 239, 258
 Hearle, E., 326, 337, 341, 372
 hemicholinium (HC-3), 263, 265, 266, 269, 273, 295
 Heming, B.S., 214

- Hess, A. (see Rainey, M.B., 255, 259), 263, 302
 Heteroptera, 235, 254
 evolutionary trends, 85
 phylogeny, 85-86
 hexamethonium, 295
 Hibbard, C.W., D.E. Ray, D.E. Savage, D.W. Tayler & J.E. Guilday, 174, 193
 Hill, D.L. (see Chadwick, L.E.), 289, 300
Hippelates pusio, 258
 histamine, 294, 351
 Hobbiger, F., 285, 288, 302
 Hocking, B. (see Klassen, W., 325, 337),
 (see Twinn, C.R., 347, 372), 242, 258, 325, 337
 Hodgson, E.S. (see Barton Brown, L.), 297, 299
 Hokin, M.R., L.E. Hokin & W.D. Shelp, 296, 302
 Holmes, R. & E.L. Robins, 285, 288, 302
 Holstein, M.H., 328, 337
 Horn, G.H., 16, 45, 74, 91, 193
 Horsfall, W.R., 324, 325, 337
 Hoskin, F.C.G., P. Rosenberg & M. Brazin, 299, 302
 Howard, L.O., H.G. Dyar & F. Knab, 321, 337
 Howden, H.F., 174, 176, 186, 193
 Hoy, J.B. (see Anderson, J.R. & Olkowski, W.), 255, 257
 Hoyle, G., 264, 302
 Hubbell, T.H., 186, 193
 Hockett, H.C. (see James, M.T.), 5, 7
 Huffacker, C.B., 238, 258
 Huffacker, C.B. & R.C. Bach, 238, 241, 158
 Hultén, E., 178, 183, 193
 human bait, 227
 Hutcheon, D.E. & V.S. Chivers-Wilson, 351, 372
 hydroxyindoles, 268
 hydroxytryptamine (5-HT), 290, 297
hypheripiformis group, 127, 145-146, 188, 210
Hypherpes, 146
incisus group, 127-120, 172, 188, 210
Infernophilus, 15, 18, 21, 28, 19, 43, 66, 68, 71
 castaneus, 15, 18, 43, 67, 78, 83
 insect saline, 266, 267
 iodine, 268, 269
 Ixodidae, 2
 Iyatomi, K. & K. Kanehisa, 264, 302
 Jacobowitz, D. & G.B. Koelle, 296, 302
 James, M.T., 5, 7
 James, M.T. & H.C. Hockett, 5, 7
 Jamnback, H.A. (see Stone, A.), 356, 372
 Javik, M.E., 290, 302
 Jeannel, R., 16, 68, 74, 169, 193
 Jedlicka, A., 16, 74
 Jenkins, D.W. & K.L. Knight, 314, 327, 337-338
 Johnson, C.G., 9, 14
 Johnson, J.G. (see Newhouse, V.F.), 227, 238, 241, 259
 Jonkers, A. H. (see Worth, C. B.), 255, 260
 Judson, S. (see Richards, H.G.), 174, 194
 Juillet, J.A., 231, 258
 Kandel, E.R. & W.T. Frazier, 296, 302
 Kanehisa, K. (see Iyatomi, K.), 264, 302
 Kardos, E.H. (see Burdick, D.J.), 252, 257
 Kearns, C.W. (see Chang, S.C.), 265, 300,
 (see Sternburg, J.), 266, 283, 298, 304
 Kennedy, N.K. (see Roeder, K.), 264, 304
 Khan, Z.H. (see Meillon, B. de), 324, 337
 Khelevin, N.W., 325, 338
 Khromov-Borisov, N.V. & M. J. Michelson, 295, 302
 King, P.B., 69, 74, 174, 192
 Kiraly, J.K. (see Barton Brown, L.), 297, 299
 Klassen, W., 324, 325, 337
 Klassen, W. & B. Hocking, 325, 337
 Klock, J.W. & W.L. Biddlingmayer, 255, 258
 Knab, F. (see Howard, L.O.), 321, 337
 Knight, K.L. (see Jenkins, D.W.), 324, 327, 337-338; (see Stone, A.), 321, 324, 338
 Koelle, G.B., 263, 265, 275, 279, 294, 297, 302, 303; (see Jacobowitz, D., 296, 302), (see McKinstry, D.N., 275, 303); (see Volle, R.L., 283, 297, 305)
 Kollros, J. J. (see Tobias, J.M.), 269, 295, 305
 Kopine, I.J., 290, 303
 Kuntzman, R.G. (see Shore, P.A.), 290, 304
 Laarman, J.J., 238, 259
 LaCasse, W.J. (see Carpenter, M.J.), 309, 313, 326, 336
 Lacordaire, J.T., 193
 Laelapidae, 2
Lampyrus noctiluca, 214
Larix laricina, 219
 LaRoi, G., 259

- Larson, D.J., 15
 larvicides, chemical, 371
 Lawson, F.R. (see Chamberlin, J.C.), 222, 257
 Leach, G.D.II., 275, 303
Lebia, 16, 23, 62
Lebiina, 24
Lebiini, 16, 21, 22, 45
 key to the larvae of the subtribes, 24
Lecalida, 23, 29, 66, 29, 71
 LeConte, J.S., 74, 101, 193, 194
Ledum groenlandicum, 219
 Leech, R., 3
 Leng, C.W., 74, 101, 194
 Leng, C.W. & A.J. Mutchler, 194
 Leonard, M.D., 194
 Leone, C.A. (see Basford, N.L.), 94, 191
 Lepidoptera, 65, 316
 larvae, 62
 Leptidae, 255
 Leptopodoidea, 85
Lesticus, 90
 Lewin, V., 63, 74
 Lewis, S.E., 298, 302
 Lewontin, R.C. (see Simpson, G.G.), 231, 260
 Libet, B. (see Eccles, R.M.), 296, 301
 light traps, 217, 220-222
 Lindroth, C.H., 23, 74, 89, 93, 186, 194
 Linsley, E.G. (see Mayr, E.), 17, 18, 75
 livestock fatalities, 351
 suspension of breeding activities, 351-352
 declines in the production of milk & beef, 352
 general losses, 352
Locusta migratoria, 264
 Loding, P.H., 194
 Loomis, E.C., 254, 259
 Loomis, J., 285, 303
 Love, G.J. & W.W. Smith, 222, 231, 238, 259
 Lumsden, W.H.R., 255, 259
 MacGinitie, H.D., 69, 74
 MacIntosh, F.C. (see Birks, R., 273, 299), 273, 303
 MacIntosh, F.C., R.I. Birks & P.B. Sastry, 273, 303
 MacLagen, D.S. & E. Dunn, 9, 14
 Madge, R.B., 16, 23, 74
 Magazanik, L.G., N.R. Fruentov, E.R. Roshkova, R.S. Rybolovlev & M. Mikhelson, 303
 Magoon, E.H., 222, 227, 255, 259
 Malaise, R.A., 220, 259
 Malaise trap, 217, 220
 with carbon dioxide, 217, 227, 230
 Mallophaga, 1, 2, 3
 parasitic on penquins, 2
Mamillaria vivipara, 63
 Mannerheim, C. G. von, 75
Mansonia fuscopennata, 242, 243
 perturbans, 220, 236, 240
 Marshall, J.F., 321, 338
 Martin, P.S., 69, 75
 Martin, P.S. & B.E. Harrell, 186, 194
 Maslin, T.P., 169, 194
 Matheson, R., 325, 326, 328, 338
 Mattingly, P.F., 252, 259
 Maw, M.G., 254, 259
 Mayr, E., 17, 75
 Mayr, E., E.G. Linsley, & R.L. Usinger, 17, 18, 75
 McDuffie, W.C. (see Twin, C.R.), 347, 372
 McFadden, M.W., 5
 McKinsty, D.N. & G.B. Koelle, 275, 303
 McLennan, H., 296, 303
 McLintock, J., A.N. Burton, H. Dillenberg & J.G. Rempel, 254, 259
 McWade, J.W. (see Steward, C.C.), 310, 322, 338
 Mead, J.A.R. (see Shore, P.A.), 290, 304
 mealworms, 63
 Means, R.G., 322, 338
 measurements & ratios (Carabidae), 19
 Mecklanburg, C. von (see Dahl, E.), 296, 301
Megasteropus, 95, 126, 127, 165
 gigas, 126, 165, 166
 Meillon, B. de & Z.H. Khan, 324, 337
 Mellanby, K., 9, 14
 Menetries, M., 75
 Mesostigmata, 2
 Metastigmatia, 2
 Metcalf, R.L. (see Winton, M.Y.), 264, 306
 methacholine, 263, 275, 279, 295
 methylthiocholine, 264
 Michelson, M.J. (see Khromov-Borisov, N.V.), 295, 302
Microchrysa flavicornis, 5, 7
 polita, 5, 6
 Mikalonis, S.J. & R.H. Brown, 264, 303
 Mikhel'son, M. Ya (see Magazanik, L.G.), 303
 Milburn, N., E.A. Weiant, & K.D. Roeder, 296, 303

- Millar, J.L. & J.G. Rempel, 351, 372
 Milstead, W.W. (see Auffenberg, W.), 174, 191
 Mimodromiides, 16, 45
 Minter, D.M., 255, 259
 mites, marine, 2
 mesostigmatic, 2
 nasal, 2
 oribatid, 2
 terrestrial trombidiform, 2
Molops, 89, 90, 94, 127, 146, 156, 158, 169
 faber, 109, 125
 monoamine oxidase (MAO), 290
Morio group, 101-105, 106, 171, 186, 210
 morphological methods (Carabidae), 18
 mosquitoes, biology of the adult female of
 Culicidae, 309-336
 handling & dissection 230
 larvae, 13, 219
 ovarian development, 242, 244
 parous, 217
 sampling methods, 217-261
 study area, 217, 219
 woodland, 217
 Motschoulsky, V. von, 75, 194
 Muirhead-Thompson, R.C., 246, 251, 256, 259, 328, 338
 Mulhern, T.D., 254, 259
 Muller, E.H., 174, 194
 Mutchler, A.J. (see Leng, C.W.), 194
 Myhrberg, H. (see Dahl, E.), 296, 301
 Nachmansohn, D. (see Dettbarn, W.), 298, 301
 naphthol, 267, 289
 naphthylacetate, 267, 289
 Narahashi, T. (see Yamasaki, T.), 264, 279, 283, 289, 306
 Nelson, R., 252, 259
 nematodes, mermithid, 349
 neurons, cockroach, 263
 Newhouse, V.F., R.W. Chamberlain, J.G. Johnson, & W.D. Sudia, 227, 238, 241, 259
 Newman, E., 194
 Nickerson, M., 290, 297, 303
 nicotine, 263, 266, 275, 295
 Nielsen, A.T. (see Nielsen, L.T.), 217, 259
 Nielsen, L.T. (see M.J. Carpenter), 252, 257
 Nielsen, L.T. (see S.J. Carpenter), 333, 334, 337
 Nielsen, L.T. & A.T. Nielsen, 217, 259
 Nielson, E.T. & D.M. Rees, 326, 338
 nitrogen, liquid, 268
 nitrogen, mustard, 290
 noradrenaline, 263, 268, 290, 294, 297
 Norberg, K.A. (see Hamberger, B.), 296, 302
 O'Brien, R.D., 264, 303
obsoletus group, 101, 106-109, 171, 187, 210
Ochlerotatus, 313, 322, 324-328
 Olin, J. (see Shore, P.A.), 268, 304
 Olkowski, W., J.R. Anderson, & J.B. Hoy, 255, 259
 Olkowski, W. (see Anderson, J.R.), 255, 257
 Olson, A.L., T. H. Hubbell, & H.F. Howden, 194
 Omori, N., 9, 14
Oncopeltus fasciatus, 213
Onota, 23, 28, 66, 67
 floridana, 80
 organophosphates, 264, 265
 Oribatidae, 2
 Ostlunde, E., 297, 303
ovulum-faber complex, 171
ovulum group, 95, 109, 115-122, 171, 187, 188, 210
 Owen, C. & B. Falck, 296, 303
 Page, I.H., 290, 303
 Panton, W.D.M., 296, 304
 Parker, S.L. (see Pearl, R.), 9, 14
 Pearl, R. and S.L. Parker, 9, 14
Periplaneta americana, 213, 163-299
 phenoxybenzamine, 263
 hydroxide (dibenzyl), 266, 290
Philophuga, biology of, 65-66
 key to the species, 30
 revision of the genera, 15-72
Philophuga amoena, 15, 36
 brachinoides, 29, 65, 67, 71, 79, 80, 83
 caerulea, 30, 67, 71, 78, 81
 canora, 15, 42
 castanea, 18, 43
 cobaltina, 15, 41
 cyanea, 29
 horni, 15, 36, 41
 lauta, 15, 38
 obscura, 15, 42
 puella, 42
 purpurea, 31, 32
 uteana, 15, 41
 viridicollis, 15, 25, 30, 65, 71, 76

- Philophuga viridis*, 15, 21, 29, 34, 39, 40, 65,
68, 71, 82
key to the subspecies, 37
Philotecnus, 44
 nigricollis, 44, 60
 ruficollis, 60
phylogeny, Carabidae, 66-68
 Heteroptera, 85-86
Picea glauca, 219
Pickard, E. (see Breeland, S.G.), 235, 238, 257;
 (see Smith, G.E.), 220, 253, 260; (see Snow,
 W.E.), 255, 260
pilocarpine, 263, 266, 279, 296
Pleistocene, 174
Pletscher, A., 290, 304
Plochionus, 16, 21, 28, 30, 66, 68
 amandus, 80
 pallens, 68
 timidus, 25, 76, 78, 80
Populus balsamifera, 219
 tremuloides, 219
poplar forest, 219
Portman, R. (see Chen, G.), 275, 300
praying mantis, 279
preservation of larvae (Carabidae), 18
Pringle, J.W.S., 266, 304
Pristonychus complanatus, 63
Procotophyllodidae, 2
Prosimulium gibsoni, 357
Prosser, C.L., 266, 304
Prostigmata, 2
Pterostichini, 89, 93, 94, 169
 Nearctic & Palaearctic, 169
Pterostichus, 89, 94, 102-118, 125, 131, 137, 141,
 152, 158, 160, 163, 165
 batesellus, 117
 carolinensis, 133, 135
 chalcites, 94
 dejeanellus, 102
 lixa, 159
 sigillatus, 137
Pucat, A., 314, 322, 325, 338
Pumphrey, R.L. & A.F. Rawdon-Smith, 265, 304
Putnam, P. (see Shannon, R.C.), 9, 13, 14
pyridine-2-aldoxime methiodide (2-PAM), 266,
 285, 288, 298
radiant species, 178
Rainey, M.B., G.V. Warren, A.D. Hess & J.S.
 Blackmore, 255, 259
Rand, M.J. (see Burn, J.H.), 263, 273,
 297, 300; (see Chang, V.), 297, 300
rat baited traps, 222-227
Rawdon-Smith, A.F. (see Pumphrey, R.J.),
 265-304
Ray, D.E. (see Hibbard, C.W.), 174, 193
rearing methods (Carabidae), 19
Rees, D.M. (see Nielson, E.T.), 326, 338
Reeves, W.C., (see Bellamy, R.E.), 227,
 238, 255, 257), (see Hayes, R.O., 239,
 258), 238, 259
Reeves, W.C. & McD. Hammon, 238, 260
Reimer, C. (see Bigelow, R.S.), 19, 73
Rempel, J.G. (see Fredeen, F.J.H.), 341,
 347, 349, 372); (see McLintock, J.,
 254, 259); (see Millar, J.L., 351, 372);
 309, 311, 324, 327, 338
Rempel, J.G. & A.P. Arnason, 347, 350,
 372
resting mosquitoes, captures in a trailer,
 217, 227
Rhinonyssidae, 2
Rhodacaridae, 2
Ribes lacustre, 219
Richards, H.G. & S. Judson, 174, 194
Roberts, R.H., 227, 255, 260
Robertson, F.W. & J. Sang, 9, 14
Robins, E.L. (see Holmes, R.), 285, 288,
 302
Roe, A. (see Simpson, G.G.), 231, 260
Roeder, K.D. (see Milburn, V., 296, 303);
 263, 275, 279, 283, 295, 304
Roeder, K.D. (see Twarog, B.M.), 264, 279,
 283, 297, 305
Roeder, K.D. & N.K. Kennedy, 264, 304
Roeder, K.D. & S. Roeder, 275, 279, 304
Roeder, S. (see Roeder, K.D.), 275, 279,
 304
Rohlf, F.J. (see Basford, N.L.), 94, 191
Rohwer, S.A. & G.E. Woolfenden, 174, 194
Rosa acicularis, 219
Rosenberg, P. (see Dettbarn, W.), 269, 298,
 301; (see Hoskin, F.C.G.), 299, 302
Roshkova, E.K. (see Magazanik, L.G.), 303
Ross, H.H., 174, 194, 195
rotary sweep net, 217, 222
Rothschild, M. (see Bisset, G.W.), 265, 299
Rubzov, I.A., 347, 372
Rudolfs, W., 238, 260

- Russell, P.F. & D. Santiago, 246, 251, 260
 Ryall, R.W. (see Curtis, D.R.), 295, 301
 Rybolovlev, R.S. (see Magazanik, L.G.), 303
 Saldidae, 85
 Sales, S. (see Hamon, J.), 333, 337
Salicornia, 63
 Saliternik, Z., 246, 260
Salix, 219
 sand flies, 355
 Sang, J. (see Robertson, F.W.), 9, 14
Sarcoptiformes, 2
 Santiago, D. (see Russell, P.F.), 246, 251, 260
 Sarginae, 5, 6
Sargus bipunctatus, 5, 6
 cuprarius, 5, 6
 decorus, 5, 6
 lucens, 5, 6
 viridis, 5, 6
 Sarkaria, D.S. (see Brown, A.W.A.), 239, 257
 Sastry, P.B. (see MacIntosh, F.C.), 273, 303
 Savage, D.E. (see Hibbard, C.W.), 174, 193
 Savage, L.B. (see Carestia, R.R.), 238, 241, 257
 Savit, J. (see Tobias, J.M.), 269, 295, 298, 305
 sawfly, larvae of wheat stem, 63
 Say, T., 75, 195
 Schachter, M. (see Bisset, G.W.), 265, 299
 Schafer, J.P. & J.H. Hartshorn, 174, 194
 Schaupp, F.G., 195
 Schuler, L., 94, 195
 sclerophyllous plants, 70
 Scott, J., 88
 Scudder, S.H., 195
 Selander, R.B. & P. Vaurie, 75
 Selander, R.K., 174, 195
 Sella, stage of, 230
seximpressus group, 127, 139-145, 172, 188, 210
 Shannon, R.C. & P. Putnam, 9, 13, 14
 Shannon, R.G., 255, 260
 Shelenova, M.F., 333, 338
 Shelp, W.D. (see Hopkin, M.R.), 296, 302
 Shemanchuk, J.A., 256, 260, 316, 338
 Shore, P.A. (see Brodie, B.B.), 297, 300
 Shore, P.A. & J. Olin, 268, 304
 Shore, P.A., J.A.R. Mead, R.G. Kuntzman,
 S. Spector & B.B. Brodie, 290, 304
 Shotton, F.W., 186, 195
sigillatus group, 127, 133-139, 172, 188, 210
 Simmet, R.P. (see Sommerman, K.M.), 253, 260
 Simpson, G.G., 94, 195
 Simpson, G.G., A. Roe & R.C. Lewontin,
 231, 260
 Simuliidae, 371, 372
Simulium arcticum, 341-371
 effects on man, 352
 aureum, 357
 corbis, 341, 347
 croxtoni, 357
 decorum, 357, 359
 defoliarti, 341, 347
 furculatum, 357, 359
 latipes, 357, 359
 luggeri, 357
 malyshevi, 341, 347
 meridionale, 357, 359
 nigricoxum, 341, 347
 pugetense, 359
 rugglesi, 357
 simile, 371
 tuberosum, 356, 357, 359
 venustum, 354, 357, 359
 verecundum, 356, 357, 359
 vittatum, 354-359
 Sjoquist, F. (see Hamberger, B.), 296, 302
 Skiersca, B., 314, 324, 338
 Smallman, B.N., 264, 304
 Smallman, B.N. & R.W. Fisher, 298, 304
 Smith, D.S., 213, 263, 304
 Smith, D.S. & J.E. Treherne, 264, 297, 304
 Smith, D.S. (see Treherne, J.E.), 264, 295,
 305
 Smith, G.E., 251, 260
 Smith, G.E., S.G. Breeland & E. Pickard,
 220, 253, 260
 Smith, T.A. (see Barr, A.R.), 254, 257
 Smith, W.W. (see Love, G.J.), 222, 231,
 238, 259
 Snow, W.E., 251, 260
 Snow, W.E., E. Pickard & R.E. Sparkman,
 255, 260
 sodium chloride, 268
 laurylsulfate, 267
 hydroxide, 268
 sulfite, 268
soldalis group, 127, 146-155, 173, 188, 210
Solidago, 219
 soldier flies (distribution records in Canada
 & Alaska), 5-7
 Sommerman, K.M. & R.P. Simmet, 253, 260

- Southwood, T.R.E., 227, 231, 235, 246, 253, 260
- Sparkman, R.E. (see Snow, W.E.), 255, 260
- Spector, S. (see Shore, P.A.), 290, 304
- spectrofluorometric assay, 263
- Spencer, E.Y. (see Colhoun, E.H.), 265, 301
- sphagnum, 219
- spoliatus* group, 95, 109, 110-115, 171, 187, 210
- spruce, 219
- Stahler, N. (see Terzian, L.A.), 9, 14
- Standfast, H.A., 243, 260, 335, 338
- Stanley, J., 19, 75
- Starke, H. (see Stone, A.), 321, 324, 338
- Stebbins, G.L., Jr., 174, 195
- Sternburg, J. (see Brady, V.E.), 288, 299, 300
- Sternburg, J., S.C. Chang & C.W. Kearns, 266, 283, 298, 304
- Steropus*, 102, 125
- Stevenson screen, 220
- Steward, C.C. & J.W. McWade, 310, 322, 338
- stimulans* group, 313
- Stomis*, 90
- Stone, A., 321, 325, 338
- Stone, A. & H.A. Jamnback, 356, 372
- Stone, A., K.C. Knight & H. Starke, 321, 324, 338
- Stratiomyidae, 5
- Strickland, E.H., 5, 7, 341, 372
- substriatus* group, 155-160, 173, 189
- Sudia, W.D. (see Newhouse, V.F.), 227, 238, 241, 259
- Symphoromyia*, 255
- synaptic transmission, 263
- systematic category, 18
- Tabanidae, 255
- tabanids, 231
- Takeshige, C. & R.L. Volle, 279, 283, 296, 304, 305
- Talens, A. (see Dauterman, W.C.), 267, 301
- Tauc, L. & H.M. Gershenfeld, 296, 305
- Tawfik, M.S., 9, 14
- Taylor, D.W. (see Hibbard, C.W.), 174, 193
- taxonomic characters (Carabidae), 20
- color, 20, 22
- external morphology, 20, 22
- female ovipositor, 22
- male genitalia, 21
- Tecnophilus*, 15-72
- Tecnophilus*, biology of, 63-65
- key to the species, 45
- materials, methods & taxonomic characters, 16-22
- revision of the genera, 15-72
- croceicollis*, 17, 26, 44, 46-59, 65, 68, 72, 76, 84
- key to the subspecies, 60
- glabripennis*, 60
- pilatei*, 15, 22, 45, 60, 67, 72, 78, 80
- Terzian, L.A. & N. Stahler, 9, 14
- tetraethylpyrophosphate (TEPP), 263, 266, 268, 288, 298
- Theobaldia*, 316
- thermohygrograph, 220
- Thompson, R.P. (see Brown, A.W.A.), 239, 257
- ticks, 2
- Tobias, J.M., J.J. Kollros & J. Savit, 269, 295, 298, 305
- Torre-Bueno, J. R. de la, 75
- torvus* group, 127, 160-164, 173, 210
- Townes, H., 220, 260
- translucipromine, 263, 266, 290
- Treherne, J.E., 263, 295, 297, 305; (see Smith, D.S., 264, 265, 297, 304)
- Treherne, J.E. & D.S. Smith, 264, 295, 305
- Trembley, H.L., 242, 260
- tsetse flies, 231, 251, 253
- Twarog, B.M. & K.D. Roeder, 264, 279, 283, 297, 305
- Twinn, C.R., B. Hocking, W.C. McDuffie & H.F. Cross, 347, 372
- Tydeus tilbrookii*, 3
- Typha*, 219
- Udenfriend, S., 269, 305
- Unger, H., 294, 297, 305
- Unquestedt, U. (see Hamberger, B.), 296, 302
- Usinger, R.L., 17, 18 (see Mayre, E., 17, 18, 75)
- VanAsperen, K., 267, 289, 305 (see Dauterman, W.C., 267, 301)
- Van Dyke, E.C., 195
- Van Emden, F.E., 93, 169, 195
- Vaurie, P. (see Selander, R.B.), 75
- Verheijen, F.J., 254, 260
- Viburnum edule*, 219
- visual attraction trap, 217, 222

- Vockeroth, J.R., 310, 314, 325, 327, 339
Vogel, W. (see Costa, E.), 290, 301
Volle, R.L., 275, 279, 296, 301; (see De Groat, W.C., 296, 301); (see Geber, G.L., 275, 279, 283, 296, 301; (see Takeshige, C., 279, 283, 296, 304)
Volle, R.L. & G.B. Koella, 283, 297, 305
Wada, Y., 9, 13, 314, 320, 324, 339
Wald, G. (see Gregerman, R.I.), 297, 302
Warren, G.V. (see Rainey, M.B.), 255, 259
Warren, M.C.W. (see Wharton, D.H.), 255, 260
Watkins, J.C. (see Curtis, D.R.), 295, 301; (see Milburn, N.), 196, 303
wax moth, 63
Weiant, E.A., 266, 305
Welsh, J.H., 297, 306
Welsh, J.H. & H.T. Gordon, 275, 306
Wesenberg-Lund, C., 321, 338
Wharton, D.H., D.E. Eyles & M.C.W. Warren, 255, 260
White, K.E. (see Barr, A.R.), 254, 257
Whitehead, D.R., 174, 195
Wickel, A. (see Chen, G.), 275, 300
Wigglesworth, V.B., 213, 265, 297, 306
Williams, C.B., 235, 260, 314, 316, 338; (see Fisher, R.A., 235, 258, 316, 337)
Willis, E.R., 238, 260
Willis, M.J. (see Hayes, R.O.), 239, 258
Wilson, I.B., 285, 306
Wilson, I.B. & S. Ginsburg, 285, 306
wing characters, 18
Winteringham, F.P.W., 298, 306
Winton, M.Y., R.L. Metcalf & T.R. Fukuto, 264, 306
Woelfenden, G.E. (see Rohwer, S.A.), 174, 194
Worth, C.B. & A.H. Jonkers, 255, 260
Wray, F.C. (see Clark, J.C.), 254, 257, 324, 337
Yamasaki, T. & T. Narahashi, 264, 279, 283, 289, 306
Yates, W.W. (see Gjullin, L.M.), 324, 337; (see Stage, H.H.), 324, 338
Zhogolev, D.T., 220, 260
zoogeography, Carabidae, 68-72

